

Basic Detail Report



Title Armchair

Date about 1830

Primary Maker Unknown

Medium Butternut, cane

Basic Detail Report

Description Butternut reproduction armchair in the William and Mary, or early

baroque, style, with an elaborately arched and molded crest rail, a cane back

and seat, a carved front stretcher, and turned legs and stretchers. The back of

the chair is formed by an arched and molded crest rail atop two stiles. The crest

rail has a flat section at the top; to each side, it descends into a projecting

quarter circle, a fillet, or horizontal area, and a recessed quarter circle that ends

in a point that extends past each stile. The top of each stile extends out to meet

the crest rail, then curves inward. Below the crest rail is a woven cane panel

which attaches at the bottom to the shaped stay rail. The shape of the stay rail

conforms to the shape of the crest rail, but is inverted. The crest rail, stay rail,

and each stile have a molded front, consisting of a projecting half circle, or

astragal, and a recessed half circle, or cove. Above the seat, each stile angles

backward. Below the seat, each stile forms a back leg that curves back, over a

turned ball foot. Each arm is bowed down in the center and has an elaborately

scrolled handhold that extends well past the top of the front leg. The top surface

of each arm has a raised ridge; the top surface of each handhold has multiple

raised ridges. Each front leg is turned with ribbed and flared cones, blocks, and

baluster forms, over a tapered foot. Above the seat, each front leg supports the

arm. The chair has a trapezoidal cane seat; the outside edges of the seat rails

have astragal and cove molding. The front of the chair has an elaborately carved

and pierced stretcher. The stretcher has a profile similar to the crest rail, and is

carved with a symmetrical arrangement of deep C-scrolls. Each side of the chair

has one turned stretcher, with a block in the center. The chair has a medial

Basic Detail Report

stretcher, connecting the two side stretchers at the block. The chair has a back

stretcher, turned with a ring in the center. Condition: At one time, the back of

the chair was lined with green fabric. The left side of the crest rail has broken

along the grain and has been repaired. The frame is refinished, and the cane is

replaced. Design and Construction Details: The crest rail is supported on each

side by a tenon at the top of the stile. The outward curve at the top of each stile

is constructed of extra wood that is laminated to the vertical stile. The stay rail is

tenoned into the stiles. A supporting strip of wood is glued to the back of the

stay rail; there are multiple small upholstery nail holes in this strip. The back of

each arm is tenoned and pinned into the stile. Each front leg is tenoned into the

arm above. The furthest projecting portions of each ribbed and flared turned

cone form is constructed of wood that is laminated to the main block of the leg.

The front stretcher is tenoned and pinned into the front legs. The seat rails, the

side stretchers, and the back stretcher have round tenons that extend into the

front or back legs. Each side and back stretcher is pinned or screwed into the

stile.

Dimensions Primary Dimensions (overall height x width x depth): 52 3/4 x 25 1/4

x 25 1/2in. (134 x 64.1 x 64.8cm)