

# Basic Detail Report



## Title Chest with Drawer

Date 1700-1740

Primary Maker Baldwin family

Medium Tulip poplar, iron

Description Diminutive tulip poplar chest with drawer in the William and Mary, or early baroque, style. The chest with drawer has a 9 inch deep chest, concealed behind three false drawers arranged two in a row over one, over one full-width drawer. The top has ovolo, or thumbnail, molding on the front and sides. A cleat, or strip of wood, extends from front to back at each side on the underside of the top (both are replaced). Each drawer is surrounded by projecting double astragal molding, or double half circle molding. There is base

# Basic Detail Report

molding at the bottom of the front and sides of the case. Below the molding on

the front of the chest is a skirt with a shaped lower edge, consisting of a cyma

curve, or S-curve, with a reverse cyma curve, flanked by a short horizontal, then

a cyma curve and a reverse cyma curve. The sides of the case extend down to

form a skirt and feet at the sides only. The skirt has a shaped lower edge,

consisting of a large cyma curve and reverse cyma curve. Hardware on the chest

of drawers consists of a pair of iron cotter-pin hinges that join the top to the

chest, and a pair of round wooden knobs on the full-width drawer. The chest is

painted with an overall brown wash. Condition: The top has split across the

center and been repaired with glue and the replaced cleats nailed to the

underside of the top. The molding surrounding the drawers is replaced. Each

lower drawer side is replaced. Design and Construction Details: The top is

constructed of a single board. The chestnut cleats (replaced) are nailed to the

underside of the top. The sides of the chest fit into rabbets in each end of the

front and back board of the case; these joints are nailed from the front and back

corners. The back is constructed of a single board that covers the back of the

chest. The front is constructed of a board that forms the front of the chest and

false drawers. The bottom of the chest is held in place with nails through the

front, back and sides of the chest with drawer. The double astragal molding that

outlines the drawers is glued in place (replaced). The skirt is nailed into a rabbit

in the front edge of each side of the case. The base molding is nailed to the top

front of the skirt and to the sides of the case. Drawer Construction. The false and

true drawers are outlined with double astragal molding on the case. The drawer

# Basic Detail Report

runners are nailed to the interior bottom sides of the case. The drawer front is

solid. The sides of the drawer are dovetailed to the front and back of the drawer.

The bottom of the drawer slides into a groove in the sides and front, and is

nailed at the back.

Dimensions Primary Dimensions (overall height x width x depth): 24 7/16 x 28 11

/16 x 13 3/4in. (62.1 x 72.9 x 34.9cm)