

Basic Detail Report



Title Armchair

Date 1795-1810

Primary Maker Unknown

Medium Maple, ash, oak, pine

Basic Detail Report

Description Black painted armchair in the Windsor style, with a continuous bow-

back, turned posts, legs, and stretchers, and a plank seat. The continuous bow

back consists of a bow, or a wooden stick, bent in an arch that sweeps forward

at each side to form an arm and flat scrolled handhold (left handhold is

replaced). The front of the bow is flat with a beaded edge; the top of the arms

are flat. The bow is supported by thirteen swelled spindles of varying height and

two turned posts at either side. The swelled spindles have a bulge in the lower

half and are tapered up to the top. The posts are turned with slender baluster

forms. The back of the armchair is slanted back; the spindles and posts are

joined to the seat in a semi-circular arrangement. The pine plank seat is oval and

has a saddled seat, or a contoured upper surface with a raised ridge at the front

center, with a flat surface at the back where the spindles and posts join the seat.

The sides and back of the plank are curved and chamfered, or cut at an angle.

Below the seat are four turned legs that are raked, or slanted out from top to

bottom; each is turned with baluster and ring forms over a tapered ankle and

foot. Each side of the chair has a single stretcher with an ovoid form in the

center. Between the stretcher is a single medial stretcher, also with an ovoid

form in the center. Condition: The left handhold has broken off and been

replaced. The paint has worn off of the handholds and front feet, and portions of

the front of the spindles and seat. The joint at the top of each leg has been re-

glued. Design and Construction Details: The bow is supported on a through

tenon at the top of the posts and all but two spindles; two of the spindles are

only tenoned up into the bow. The through tenons have a small wedge through

Basic Detail Report

the end of the tenon. Each spindle is tenoned down into the spindle platform.

Each post is tenoned down through the plank seat; each of these also has a wedge through the end of the tenon. The spindle platform is outlined with a narrow groove. The seat is constructed of a solid plank of wood and supported on a through tenon at the top of each leg. The side stretchers are tenoned into the lower legs. The medial stretcher is tenoned into the side stretchers. All the tenons are inserted at an angle, where necessary, to give the proper slant to the bow and each of the spindles and legs.

Dimensions Primary Dimensions (overall height x width x depth): $33 \frac{15}{16} \times 24 \frac{3}{4} \times 21 \frac{1}{2}$ in. (86.2 x 62.9 x 54.6cm)