

Basic Detail Report



Title Side Chair

Date 1796-1800

Primary Maker Thomas Cotton Hayward

Description Black painted side chair in the Windsor style, with a bow-back, a plank seat, and turned legs and stretchers. The bow-back consists of a bow, or

Basic Detail Report

wooden loop, that is joined at either end to the plank seat and encloses seven slender swelled spindles of varying height that conform to the shape of the loop. The bow has a curved face and beaded edges. The swelled spindles have a bulge in the lower third and are tapered up to the top. The bow and spindles are slanted back; the spindles are joined to the seat in a semi-circular arrangement. The plank seat is shield-shaped and saddled, or recessed with a raised ridge at the front edge; the seat has a flat section at the back where the spindles join the seat. The sides of the plank are curved and chamfered, or cut at an angle. Below the seat are four turned legs that are raked or slanted out from top to bottom; each leg is turned with baluster and ring forms over a tapered ankle and foot. Each side of the chair has a stretcher that connects the lower legs. Between the stretchers is a single medial stretcher. Each of the stretchers has a turned ovoid form in the center and elongated tapered sides. Condition: The black paint is worn or flaking on the seat, lower legs and stretchers. It is a later addition, as a red stain is visible where the black paint has flaked. The center spindle is repainted or replaced. A nail has been added to the tenon at the right end of the medial stretcher. Design and Construction Details: The top of the three center spindles are tenoned up through the bow; the remaining four spindles are just tenoned up into the bow. The bow and each spindle are tenoned down into the spindle platform; the center spindle and the ends of the bow are tenoned through the plank. A narrow groove outlines the spindle platform and separates it from the contoured top of the plank. The seat is constructed of a solid plank of wood and supported on a tenon at the top of each leg. The side stretchers are

Basic Detail Report

tenoned into the lower legs. The medial stretcher is tenoned into the side

stretchers. All the tenons are inserted at an angle, where necessary, to give the

proper slant to the bow and each of the spindles and legs. All the through

tenons, with the exception of the bottom of the center spindle, have a narrow

wedge inserted through the end of the tenon.

Dimensions Primary Dimensions (overall height x width x depth): 36 1/16 x 18 9

/16 x 20 11/16in. (91.6 x 47.1 x 52.5cm)